

SUBJECT INDEX TO VOLUME 43

This index gives the first page of the article in which the indexed subject occurs.

A

A-waves, 537
 Abductor digiti minimi, 671
 Abductor hallucis, 895
 Acetylcholine receptor, 294
 Acetylcholinesterase, 591
 Acid α -glucosidase (GAA), 665
 Acid maltase deficiency, 665
 α -Actinin-3, 37
 Activation strategies, 563
 Activin receptor type IIB (ActRIIB), 694
Actn3, 37
 Acute inflammatory demyelinating polyneuropathy, 751
 Acute inflammatory demyelinating polyradiculoneuropathy, 296
 Acute superficial sensory neuropathy, 286
 Adipose tissue, 157
 Age-related changes, 828
 Ageusia, 286
 Aging, 203, 212
AGL gene, 451
 Alcohol-related peripheral neuropathy, 309
 Alcoholism, 309
 Allograft rejection, 120
 Allorecognition, 120
 Alzheimer's disease, 866, 872
 American Academy of Neurology, 910
 American Academy of Physical Medicine & Rehabilitation, 910
 American Association of Neuromuscular and Electrodiagnostic Medicine, 910
 Amyloid neuropathy, 449
 β -Amyloid peptide, 872
 Amyloidosis, 905
 Amyotrophic lateral sclerosis, 136, 189, 230, 274, 432, 461, 636, 643, 768, 801
 Anatomical variants, 560
 Anhidrosis, 286
 Animal models, 37, 49, 82, 88, 94, 203, 212, 223, 230, 251, 263, 268, 274, 283, 489, 500, 543, 694, 741, 818, 878, 897
 Anosmia, 286
 Anterior interosseous nerve syndrome, 758
 Anti-GD1a antibodies, 447
 Antibodies, 294
 Anti-collapsin response mediator protein 5 (anti-CRMP5) antibody, 764
 Argentina, 510
 Assistive technology, 643
 Automated hand-held nerve conduction devices, 6, 9
 Autonomic dysfunction, 432
 Autonomic tests, 317

Autosomal recessive motor neuron disease, 19
 Awaji criteria, 461
 Awaji Island modified criteria, 768
 Axonal neuropathy, 605
 Axonal regeneration, 543

B

Back muscles, 348
 Baroreflex, 432
 Becker muscular dystrophy, 510
 Bedside diagnosis, 144
 Bent spine syndrome, 615
 Bergström muscle biopsy technique, 716
 Beriberi, 309
 Biceps brachii muscle, 112, 441
 Blink reflex, 196
 Bone marrow stromal cells, 157
 Book review, 301
 Botulinum toxin a, 452, 453
 Brainstem lesions, 196
 Breast carcinoma, 764
 Bulbar function, 329
 Bulbosplinal muscular atrophy, 136

C

Caffeine, 839
 Calpain, 410
 Calpainopathy, 402
 Cancer, 94
 Cancer-related fatigue, 415
 Cardiomyopathy, 133
 Cardiotoxin, 223
 Cardiotoxin injury, 733
 Carpal tunnel syndrome, 171, 623
 Caveolin-3 gene (*CAV3*), 144
Chl-tubiquitin ligase gene, 223
 CD8, 223
 Cell-based surgery, 155
 Cerebrotendinous xanthomatosis, 510
 Charcot-Marie-Tooth disease, 657, 887
 Chemotherapy, 94
 Chinese patients, 402
 Chronic dysimmune neuropathy, 921
 Chronic inflammatory demyelinating polyneuropathy (CIDP), 756, 921, 922
 Chronic inflammatory demyelinating polyradiculoneuropathy, 780
 Chronic stroke, 112
 Clenbuterol, 700
 Cobalt-chromium metallosis, 147
 Cobalt toxicity, 145, 147

Coenzyme Q10, 444
 Collapsin response mediator protein 5 (CRMP5), 764
 Collett's snake (*Pseudechis colletti*), 552
 Compound action potential (CAP), 237
 Compound muscle action potential (CMAP), 129, 671, 751
 Conduction block, 31, 897
 Conduction velocity distribution, 237
 Conduction velocity test, 652
 Congenital myasthenic syndromes, 574
 Congenital myotonic dystrophy type 2, 768
 Continuous electrical stimulation, 251
 Corticospinal tract, 679
 Corticosteroids, 103
 Cranial nerve palsy, 447
 CRMP5 (collapsin response mediator protein 5), 764
 Crush injury, 251
 CTG repeat expansion, 648
 Cutaneous silent periods, 317, 324
 Cytokines, 921, 922

D

Demyelinating neuropathy, 510, 764
 Denervation, 299, 300
 DHS (dropped head syndrome), 905
 Diabetes mellitus, 317, 393, 652, 812
 Diabetic neuropathy, 237, 910
 Diaphragm, 94, 103, 801
 Differential diagnosis, 164
 Distal compound muscle action potential, 751
DOK-7 gene, 574
 Domino liver transplant recipients, 449
 Downhill running, 878
 Doxorubicin, 94
 Dropped head syndrome (DHS), 905
 Duchenne muscular dystrophy, 263, 283, 464, 510
 Dynamic exercise, 839
 Dysphagia, 761
 Dystrophin myotonia (DM), 818
 Dystrophin gene (*mdx*), 82, 88, 263, 283, 694, 878
 Dystrophy, 88

E

Echo intensity, 142
 Elbow, 298, 596, 627
 Electrical stimulation, 65, 203, 251, 274, 299, 324, 897

Electrical stimulation training, 65, 154
 Electrodiagnostic consultation, 812
 Electrodiagnostic criteria, 780
 Electrodiagnostic studies, 596
 Electromechanical delay, 441
 Electromyography, 168, 178, 245, 301, 335, 348, 758, 801, 866
 Electrophysiological testing, 9
 Endurance training, 154, 393
 Erythropoietin, 88
 Esophageal achalasia, 289, 624
 Evidence-based exercise prescription, 464
 Evidence-based guidelines, 910
 Evidence-based medicine, 464
 Excitation-contraction coupling, 294
 Exercise, 76, 464, 500, 828, 839
 Exercise training, 58, 385, 393
 Extensor digitorum longus muscle, 37

F

Facial electromyography, 866
 Facial muscle, 342
 Facial nerve, 251
 Facial-onset sensory and motor neuropathy, 136
 Facioscapulohumeral muscular dystrophy, 615
 Far-field potentials, 671
 Fatigability, 230
 Fatigue, 145, 415, 479, 485
 Fibrillations, 178
 Fibromyalgia, 479
 First dorsal interosseous muscle, 129, 679, 769
 Force impairment, 818
 Force steadiness, 245, 563
 Formoterol, 268
 Functional overload, 489

G

GAA (acid α -glucosidase), 665
 Gait, 485
 Ganglioside, 447
 GAP junction protein beta 1 gene, 887
 Gastric cancer, 410
 Gastrocnemius muscle, 212
 GD1a, 447
 Gene mutations, 19, 144, 451, 574, 605, 688, 887
 Genotype-phenotype correlations, 26
 Genotyping, 283
 Glutaric aciduria type II, 444
 Glycogen, 878
 Glycogen storage disease type II, 665
 Glycogen storage disease type III, 451
 Granulocyte colony-stimulating factor, 189
 Growth, 828
 Guillain-Barré syndrome, 807

H

H-reflex, 259, 845
 Hand, 679
 Hand-held nerve conduction devices, 6, 9
 Haplotype, 510
 Health-related quality of life, 14
 Hereditary inclusion-body myopathy, 133
 Hereditary neuropathy, 448
 High-frequency conduction block, 897
 High-voltage electrical stimulation, 274

H1N1 vaccination, 893
 Hip replacement, 145, 147
 Hyperthermia, 268
 Hypokalemic periodic paralysis, 127, 807
 Hypoventilation, 610

I

Immune trigeminal sensory neuropathy, 289, 624
 Immunoglobulin, 537
 Immunomodulators, 918
 Immunotherapy, 289, 624
 Inclusion-body myopathy, 133
 Influenza vaccination, 893
 Insulin resistance, 432
 Insulin sensitivity, 393
 Insulin stimulation, 432
 Interferon- γ , 921, 922
 Interleukin-6, 385, 922
 Interleukin-10, 921, 922
 Interosseous muscles, 671
 Interpolated twitch technique (ITT), 375
 Intravenous immunoglobulin, 537
 Isometric strength training, 375

J

JAK/STAT, 385
 Jaw muscle weakness, 807

K

Knee extensor muscles, 360, 375
 Knee position, 563

L

Lamin A/C (*LMNA*) gene, 688
 Leg symptoms, 9
 Limb-girdle muscular dystrophy type 2B, 761
 Lingual electromyography, 866
 Liver transplant recipients, 449
LMNA (lamin A/C) gene, 688
 Loading, 348
 Lower brainstem lesions, 196
 Lower motor neuron symptoms, 636
 Lymphopenic dermatomyositis, 918

M

Macro electromyography, 335
 MADD (multiple acyl-coenzyme A dehydrogenase deficiency), 444
 Magnetic resonance elastography, 585
 Magnetic resonance imaging, 758
 Magnetic resonance spectroscopy, 76
 Martin-Gruber anastomosis, 623
mdx, 82, 88, 263, 283, 604, 878
 Mechanical ventilation, 103
 Medial gastrocnemius muscle, 259
 Median nerve, 767
 MG Activities of Daily Living (MG-ADL) scale, 329
 MG Composite scale, 329
 MG132 proteasome inhibitor, 708
 MG-QOL 15 (Myasthenia Gravis Quality of Life scale), 14, 329
 Mitochondrial disease, 795
 Mixed nerve action potential (MNAP), 425
 Mixed nerve conduction studies, 425

Mononeuritis multiplex, 756
 Motor nerve conduction studies, 274, 425
 Motor neuron disease, 19
 Motor neuropathy, 136
 Motor neuropathy, 31, 274, 537, 610
 Motor unit number, 895
 Motor unit number index (MUNIX), 335, 895
 Multifocal hypertrophic neuropathy, 756
 Multifocal motor neuropathy, 31, 274, 537, 610
 Multiple acyl-coenzyme A dehydrogenase deficiency (MADD), 444
 Multiple cranial nerve palsy, 447
 MUNIX (motor unit number index), 335
Muscle & Nerve, 1
 Muscle activation strategies, 563
 Muscle contraction, 112, 324, 360, 851, 859
 Muscle disuse atrophy, 708
 Muscle endurance, 415
 Muscle fatigue, 145, 479
 Muscle fibrosis, 82
 Muscle growth, 828
 Muscle regeneration, 733
 Muscle reinnervation, 500
 Muscle stem cells, 741
 Muscle strength, 145
 Muscle sympathetic nerve activity (MSNA), 432
 Muscle T2, 878
 Muscle weakness, 94, 807
 Muscular dystrophy, 141, 263, 479, 615
 Mutations, 19, 144, 451, 574, 688, 887
 Myasthenia gravis (MG), 14, 145, 168, 294, 329, 574, 578, 625, 807, 893
 Myasthenia Gravis (MG) Quality of Life scale (MG-QOL 15), 14, 329
 Myogenesis, 741
 Myogenic progenitors, 741
 Myonecrosis, 82
 Myonuclei, 212
 Myopathy, 342, 444
 Myositis, 585
 Myostatin, 49, 700
 Myotonia, 818
 Myotonic dystrophy, 818
 Myotonic dystrophy type 1, 648
 Myotonic dystrophy type 2, 768

N

Neoplasms, 183
 Nerve conduction block, 31, 610, 897
 Nerve conduction devices, 6, 9
 Nerve conduction studies, 274, 317, 425, 652, 657
 Nerve conduction time, 510
 Nerve injury, 299
 Nerve regeneration, 157, 500, 543, 919
 Neuromuscle function, 839
 Neuromuscle weakness, 807
 Neuromuscular junction, 203
 Neuromuscular ultrasound, 777
 Neuronal neuropathy, 309
 Neuropathy target esterase (NTE) gene, 19
 Neurophysiological study, 510
 Neurosarcoidosis, 900
 Neurosonography, 756

O

Obesity, 142, 393
 Ocular myasthenia gravis, 168

Oculobulbar Facial Respiratory (OBFR) scale, 329
 Oculopharyngeal muscular dystrophy, 141
 Olfactory ensheathing cells, 543, 919
 Omental adipose-derived nucleated cells, 157
 Onset latency, 129, 769
 Orbicularis oculi muscle, 168
 Overload, 489
 Oxidative stress, 58

P

Paclitaxel, 367
 Painful diabetic neuropathy, 910
 Paralysis, 65, 127, 154
 Paraneoplastic syndrome, 756
 Patient compliance, 893
 Patient satisfaction, 643
 Pediatric sciatic neuropathy, 183
 Periodic paralysis, 127
 Peripheral catheterization, 758
 Peripheral nerve injury, 415, 500
 Peripheral nerve lesions, 543
 Pharyngeal electromyography, 866
 Phenotype, 26, 451, 489
 31-Phosphorus, 76
 Physical activity, 31
 Pierre Robin sequence, 866
 Plantaris muscle, 489
 Plasma cell dyscrasias, 164
 Plasma exchange, 625
 Plasmapheresis, 578
 Platelet-derived growth factor-BB (PDGF-BB), 385
 PMP22 gene, 605
Pneumocystis carinii pneumonia (PCP), 918
 Pneumonia, 918
 Polio, 335
 Polymerase chain reaction, 283
 Polymyositis/dermatomyositis (PM/DM), 807
 Polyneuropathy, 147
 Pompe disease, 665
 Prenatal diagnosis, 510
 Pressure palsy, 448
 Prostate cancer, 415
 Proximal axonal atrophy, 425
Pseudechis colletti (Collett's snake), 552
 Purdue Pegboard Test (PPT), 171
 Pyridostigmine bromide, 591

Q

Quadriceps muscle, 563
 Quality of life, 14
 Quantitative sudomotor axon reflex test (QSART), 295
 Quantitative ultrasound, 142
 Quiet standing, 726

R

Radiation, 58
 Radiotherapy, 415

RANTES, 223
 RAP-031, 694
 RAPS gene, 574
 Rectus abdominis muscle, 410
 Reflex excitability, 259
 Reflex fatigability, 230
 Reflex response, 348
 Reflex transmission, 230
 Reinnervation, 300, 500, 919, 920, 921
 Rejection, 120
 Resistance training, 245, 375, 385
 Respiratory failure, 610
 Respiratory function, 263
 Resting level, 432
 Riboflavin, 444
 Rippling, 601
 Rippling muscle disease, 144, 601
 Running, 878
 Ryanodine receptor, 294

S

Safety, 893
 Sarcoidosis, 296
 Sciatic nerve regeneration, 157
 Sciatic neuropathy, 183
 Segregation analysis, 510
 Sensory ataxia, 900
 Sensory neuronopathy, 136, 367
 Sensory neuropathy, 286, 289, 624
 Short tandem repeat (STRs), 510
 Siblings, 133
 Single-fiber conduction velocity (SF-CV), 652
Single Fiber EMG (book review), 301
 Skeletal muscle, 49, 58, 76, 212, 223, 410, 872
 Skeletal muscle progenitors, 741
 Sleep hypoventilation syndrome, 610
 Small-fiber neuropathy, 317
 Snake venom, 552
 Soleus muscle, 65, 259, 726, 845, 851
 Soman, 591
 Somatosensory blink reflex, 196
 Spinal excitability, 851
 Spinal motor neurons, 230
 Spinal muscular atrophy, 26, 485
 Spinal reflex excitability, 259
 Spinal reflex transmission, 230
 Standing, 726
 STAT3, 385
 Statins, 76, 295
 Stem cells, 155, 157, 741
 Stimulated single-fiber electromyography (SSFEMG), 168
 Strength training, 154, 375
 Stress, oxidative, 58
 Stroke, 112
 Subacute myopathy, 444
 Subthreshold continuous electrical stimulation, 251
 Suction, 716
 Sudden loading perturbation, 348
 Sudomotor innervation quantification, 919, 920, 921
 Superficial sensory neuropathy, 286
 Superoxide dismutase SOD1, 230
 Sural nerve, 560

Suramin, 82
 Sweat gland nerve fiber density quantification, 920, 921
 Sympathetic nervous system, 432

T

T cells, 223
 Talipes equinovarus, 768
 Task-specific variations, 851
 Thermosensitive hereditary neuropathy, 448
 Thiamine deficiency, 309
 Tibialis anterior muscle, 335
 Toll-like receptor 3, 733
 Tongue, 203, 866
 Topiramate, 127
 Torque, 360
 Total hip replacement, 145, 147
 Toxic neuropathy, 309
 Toxicology, 552
 Training, 58, 65, 154, 245, 375, 385, 393
 Transcranial magnetic stimulation, 479
 Transforming growth factor- β 1 blockers, 82
 Transplant rejection, 120
 Traumatic nerve injury, 425, 767
 Triceps brachii, 859
 Trigeminal sensory neuropathy, 289, 624
 Tumor necrosis factor- α , 922
 Turkey, 657
 Turns/amplitude analysis (TAA), 342
 Twitch potentiation, 360
 Type 2 diabetes, 393

U

Ulnar nerve, 671
 Ulnar neuropathy, 298, 451, 596, 627
 Ultrafast ultrasound, 441
 Ultrasound, 142, 178, 298, 441, 451, 560, 627, 756, 767, 777
 Unilateral leg symptoms, 9
 Unsharp mask filter, 920, 921
 Upper brainstem lesions, 196
 Upper leg, 510
 Upper motor neuron symptoms, 636
 Utrophin gene (*utrn*), 263

V

Vagus nerve, 919
 Vascular endothelial growth factor, 164
 Vastus lateralis muscle, 245
 Vertebrate skeletal muscle, 872
 Voluntary submaximal contraction, 859

W

Weight loss, 410
 Whole-body vibration (WBV), 259

X

X-linked Charcot-Marie-Tooth disease, 887

MUSCLE & NERVE



Official Journal of the American Association of Neuromuscular & Electrodiagnostic Medicine

AUTHOR INDEX TO VOLUME 43-6

This index lists, in alphabetical order, the names of authors of all articles and book reviews. Full citation is provided under the first author only, with cross reference to this author made from entries to other authors. Book reviews are distinguished from articles by the letter B after the page

A

- Abe T, see Kohno S
 Abramovici O, see Guérout N
 Ackermann Jr. DM, Ethier D, Foldes EL, Oby ER, Tyler T, Bauman M, Bhadra N, Miller L, Kilgore KL: Electrical conduction block in large nerves: High-frequency current delivery in the nonhuman primate, 897
 Acquaviva-Bourdain C, see Kaminsky P
 Adami F, see Briani C
 Adams CM, Suneja M, Dudley-Javoroski S, Shields RK: Altered mRNA expression after long-term soleus electrical stimulation training in humans with paralysis, 65
 Akaza M, Kanouchi T, Inaba A, Numasawa Y, Irioka T, Mizusawa H, Yokota T: Motor nerve conduction study in cauda equina with high-voltage electrical stimulation in multifocal motor neuropathy and amyotrophic lateral sclerosis, 274
 Ako E, see Saifee TA
 Alawi AA, see Mandawat A
 Albers JW, see Rainier S
 Alberti MA, see Liotta GA
 Alexander MS, Kawahara G, Kho AT, Howell MH, Pusack TJ, Myers JA, Montanaro F, Zon LI, Guyon JR, Kunkel LM: Isolation and transcriptome analysis of adult zebrafish cells enriched for skeletal muscle progenitors, 741
 Alfonsi E, see Piccolo G
 Allen EJ, see Krishnan C
 Al-Lozi M, see Chuquilin M
 Alsteth EH, Maniaol AH, Elsaïs A, Nakkestad HL, Tallaksen C, Gilhus NE, Skeie GO: Investigation for RAPS and DOK-7 mutations in a cohort of seronegative myasthenia gravis patients, 574
 Alshekhele A, see Mandawat A
 Alt CA, Gore EM, Montagnini ML, Ng AV: Muscle endurance, cancer-related fatigue, and radiotherapy in prostate cancer survivors, 415
 Amassian VE, see Maccabee PJ
 Ambrosio F, see Markert CD
 Ametller E, Busquets S, Fuster G, Figueras MT, Fontes De Oliveira CC, Toledo M, Korzeniewska K, Argilés JM, López-Soriano FJ: Effects of formoterol on protein metabolism in myotubes during hyperthermia, 268
 Amini K, see Mohammadi R
 Amin S, see McCullough MB
 Amirjani N, Ashworth NL, Olson JL, Morhart M, Chan KM: Validity and reliability of the purdue pegboard test in carpal tunnel syndrome, 171
 Anderson JE, see Leiter JRS
 Andoni UJ, see Luo SS
 Ando Y, see Obayashi K
 Andrews J, see Chen C
 Angelici A, see Gironi M
 An GL, see Jamart C
 An KN, see McCullough MB
 Antonini G, see Gironi M
 Apostoli P, see Rizzetti MC
 Argilés JM, see Ametller E
 Aronica M, see Huang P
 Ashworth NL, see Amirjani N
 Asonuma K, see Obayashi K
 Aste R, see Carboni N
 Atsuta N, see Miyazaki Y
 Attarian S, see Fluchere F
 Auriel E, Regev K, Dori A, Karni A: Safety of influenza and H1N1 vaccinations in patients with myasthenia gravis, and patient compliance, 893
 Aversa Z, see Smith IJ
 Avunduk MC, see Tuncer S
 Azizi S, see Mohammadi R
 Azulay JP, see Fluchere F
- B**
- Backonja M, see Bril V
 Bagdades E, see Kyriakides T
 Bali DS, Tolun AA, Goldstein JL, Dai J, Kishnani PS: Molecular analysis and protein processing in late-onset pompe disease patients with low levels of acid α -glucosidase activity, 665
 Ball S, see Sleigh K
 Barrero FJ, see Pilo B
 Barresi R, see Walsh R
 Barros DF, see Katzberg HD
 Battaloglu E, see Deymeer F
 Battista Doglietto G, see Smith IJ
 Baudon JJ, see Renault R
 Bauman M, see Ackermann Jr. DM
 Bäumer T, see Leyboldt F
 Bazzocchi I, Felici F, Montini M, Figura F, Sacchetti M: Caffeine improves neuromuscular function during maximal dynamic exercise, 839
 Beaume A, see Simon O
 Beck TW, DeFreitas JM, Stock MS, Dillon MA: Effects of resistance training on force steadiness and common drive, 245
 Beekman R, Visser LH, Verhagen WJ: Ultrasonography in ulnar neuropathy at the elbow: A critical review, 627
 Beghi E, see Gironi M
 Benatar M, Tandan R: The Awaji criteria for the diagnosis of amyotrophic lateral sclerosis: Have we put the cart before the horse?, 461
 Bendotti C, see Chiò A
 Berger DS, see Moyer M
 Bertorini TE, see Chai Y
 Bhadra N, see Ackermann Jr. DM
 Bieth E, see Petit F
 Bodkin CL, see Groh WJ
 Boes CJ, see Reda HM
 Boger MS, Hulgan T, Donofrio P, Peltier AC: QSART for diagnosis of statin-associated polyneuropathy, 295
 Böhm J, see Leyboldt F
 Bondesan P, see Chiò A
 Bon-Mardion N, see Guérout N; Paviot A
 Boon AJ, see Schmidt K
 Boreham DR, see De Lisio M
 Borucu D, see Koytak PK
 Bossola M, see Smith IJ
 Boyer O, see Guérout N
 Brandner S, see Saifee TA
 Brannagan III T, see Chen C
 Brennan TD, Cupler EJ: Anterior interosseous nerve syndrome following peripheral catheterization: Magnetic resonance imaging and electromyography correlation, 758
 Breslin N, see Walsh R
 Brett FM, see Walsh R
 Briani C, Fabrizi GM, Ruggero S, Della Torre C, Ferrarini M, Campagnolo M, Cavallaro T, Ferrari S, Scarlato M, Taioli F, Adami F: Vascular endothelial growth factor helps differentiate neuropathies in rare plasma cell dyscrasias, 164

Bril V, England JD, Franklin GM, Backonja M, Cohen JA, Del Toro DR, Feldman EL, Iverson DJ, Perkins B, Russell JW, Zochodne DW: Evidence-based guideline: Treatment of painful diabetic neuropathy—Report of the American Association of Neuromuscular and Electrodiagnostic Medicine, the American Academy of Neurology, and the American Academy of Physical Medicine & Rehabilitation, 910

Bromberg MB: Review of the evolution of electrodiagnostic criteria for chronic inflammatory demyelinating polyradiculoneuropathy, 780

Brown M, see Gentry BA

Bruemmer K, see Carlson CG

Bryant ND, see Mathur S

Buettner C, see Wu JS

Burns TM, see Farrugia ME

Burns TM, Grouse CK, Wolfe GI, Conaway MR, Sanders DB: The MG-QOL15 for following the health-related quality of life of patients with myasthenia gravis, 14

Busquets S, see Ametller E

C

Caliandro P, see Padua L

Callahan LA, see Gilliam LAA

Cali JA, see Markert CD

Calozzo VJ, see Sassoon CSH

Calvo A, see Chiò A

Cameron-Smith D, see Trenerry MK

Campagnolo M, see Briani C

Cancès C, see Petit F

Caponnetto C, see Chiò A

Carboni N, Floris M, Matteddu A, Porcu M, Marrosu G, Solla E, Cocco E, Mura M, Marini S, Maioli MA, Piras R, Aste R, Marrosu MG: Aberrant splicing in the LMNA gene caused by a novel mutation on the polypyrimidine tract of intron 5, 688

Carlson CG, Bruemmer K, Sesti J, Stefanski C, Curtis H, Ucran J, Lachey J, Seehra JS: Soluble activin receptor type IIB increases forward pulling tension in the mdx mouse, 694

Carmichael C, see Farrugia ME

Cartwright MS, see Walker FO

Casanova-Molla J, see León L

Catalani S, see Rizzetti MC

Catheline S, see Hug F

Cavallaro T, see Briani C

Ceresa L, see Gironi M

Chai Y, Bertorini TE, McGrew FA: Hereditary inclusion-body myopathy associated with cardiomyopathy: Report of two siblings, 133

Chaloub G, see Kaminsky P

Chan KM, see Amirjani N

Chan S, Seto JT, Houweling PJ, Yang N, North KN, Head SI: Properties of extensor digitorum longus muscle and skinned fibers from adult and aged male and female Actn3 knockout mice, 37

Charlton R, see Walsh R

Chen C, Weimer L, Brannagan III T, Andrews J, Mitumoto H, Kaufmann P: Reply, 769

Cheng AJ, see Smith CB

Cheng G, see Huang P

Chen Q, see McCullough MB

Chen SD, Li ZX, Guan YT, Zhou XJ, Jiang JM, Hao Y: A novel mutation of GAP junction protein beta 1 gene in X-linked Charcot-Marie-Tooth disease, 887

Chiò A, Mora G, La Bella V, Caponnetto C, Mancardi G, Sabatelli M, Siciliano G, Silani V, Corbo M, Moglia C, Calvo A, Mutani R, Rutella S, Gualandi F, Melazzini M, Scimè R, Petrini M, Bondesan P, Garbelli S, Mantovani S, Bendotti C, Tarella C, STEMALS Study Group: Repeated courses of granulocyte colony-stimulating factor in amyotrophic lateral sclerosis: Clinical and biological results from a prospective multicenter study, 189

Cho CS, see Katzberg HD

Choi JY, see Kim J

Chuquillin M, Al-Lozi M: Primary amyloidosis presenting as "dropped head syndrome", 905

Ciammola A, see Piccolo G

Cintas P, see Fluchere F

Clerici M, see Gironi M

Cocco E, see Carboni N

Cohen JA, see Bril V

Colombo I, see Piccolo G

Conaway MR, see Burns TM

Connolly S, see Walsh R

Connor NP, see Johnson AM

Corbo M, see Chiò A

Cortese A, see Piccolo G

Coste CA, see Van Doornik J

Cueto AL, see García Méndez CV

Cuisset JM, see Petit F

Cupler EJ, see Brennan TD

Curtis H, see Carlson CG

Cutter G, see Kaminsky HJ

D

Dai J, see Bali DS

Dalkilic N, see Tuncer S

Darras BT, see McMillan HJ

Davis J, see McMillan HJ

de Blas G, see Pilo B

DeFreitas JM, see Beck TW

Degens H, see van der Meer SFT

De La Monte S, see Mellion M

Deldicque L, see Jamart C

Delirez N, see Mohammadi R

De Lisio M, Kaczor JJ, Phan N, Tarnopolsky MA, Boreham DR, Parise G: Exercise training enhances the skeletal muscle response to radiation-induced oxidative stress, 58

Delisle A, see Santos BR

Della Gatta PA, see Trenerry MK

Della Torre C, see Briani C

Del Toro DR, see Bril V

Delval A, see Simon O

Dendale P, see Snijders T

Dengler R, see Körner S

De Vivo DC, see Montes J

Deymeer F, Matur Z, Poyraz M, Battaloglu E, Oflazer-Serdaroglu P, Parman Y: Nerve conduction studies in Charcot-Marie-Tooth disease in a cohort from Turkey, 657

Dibaj P, see Schomburg ED

Diez RA, see García Méndez CV

Dillingham TR, see Sohn MW

Dillon MA, see Beck TW

Dimberg EL, see Rubin DI

Di Pasquale A, see Liotta GA; Padua L

Doeringer JR, see Kipp K

Doherty TJ, see Symonette CJ

Domire ZJ, see McCullough MB

Donadio V, Liguori R: Methods of Sudomotor Innervation Quantification, 920

Donaldson NDN, see Duffell LD

Donofrio P, see Boger MS

Dori A, see Auriel E

Drouot L, see Guérout N

Duan D, see Shin JH

Dubbioso R, see Pisciotta C

Duclos C, see Guérout N; Paviot A

Dudley-Javoroski S, see Adams CM

Duffell LD, Rowleson AM, Donaldson NDeN, Hartridge SDR, Newham DJ: Effects of endurance and strength-directed electrical stimulation training on the performance and histological properties of paralyzed human muscle: A pilot study, 154

Dunaway S, see Montes J

Dyck PJ, see Rainier S

Dyck PJB, see Figueroa JJ

E

Eberle LP, see Maccabee PJ

Ederington VR, see Roy RR

Efthimiou P, Pokharna H, Kukar M, Hennessey K: PCP Chemoprophylaxis is Essential for Lymphopenic Dermatomyositis Patients Treated with Immunomodulators, 918

Eldevik OP, see Rainier S

Elsais A, see Alseth EH

Engelstad JK, see Figueroa JJ

England JD, see Bril V

England JD, Franklin GM: Automated hand-held nerve conduction devices: Raw data, raw interpretations, 6

Esen HH, see Tuncer S

Ethier D, see Ackermann Jr. DM

F

Fabrizi GM, see Briani C

Fagius J, see Nygren I

Fahlbusch M, see Körner S

Fang L, see Sassoon CSH

Farrugia ME, Harle HD, Carmichael C, Burns TM: The oculobulbar facial respiratory score is a tool to assess bulbar function in myasthenia gravis patients, 329

Fateen E, see Okubo M

Feldman EL, see Bril V

Felici F, see Bazucchi I

Ferrarini M, see Briani C

Ferrari S, see Briani C

Ferreira JA, see Gentry BA

Ferreiro V, see Giliberto F

Ferrer M, see Giliberto F

Figueroa MT, see Ametller E

Figueroa JJ, Engelstad JK, Spinner RJ, Dyck PJB: Immune trigeminal sensory neuropathy with esophageal achalasia:

Improvement with long-term immunotherapy, 289, 624 (Erratum)
 Figura F, see Bazzucchi I
 Fink JK, see Rainier S
 Fiore DM, Strober JB: Treatment of hypokalemic periodic paralysis with topiramate, 127
 Flores-Guevara R, see Renault R
 Floris M, see Carboni N
 Fluchere F, Verschueren A, Cintas P, Franques J, Serratrice J, Weiller PJ, Azulay JP, Pouget J, Attarian S: Clinical features and follow-up of four new cases of facial-onset sensory and motor neuronopathy, 136
 Foldes EL, see Ackermann Jr. DM
 Folland JP, see Tillin NA
 Follette D, see Maselli RA
 Fontes De Oliveira CC, see Ametller E
 Forbes S, see Mathur S
 Fornari C, see García Méndez CV
 Francaux M, see Jamart C
 Francipane L, see Gliberto F
 Franklin GM, see Bril V; England JD
 Franques J, see Fluchere F
 Franssen H, see Straver DCG
 Freeman R, see Gibbons CH
 Friedlander ML, see Park SB
 Friedrich JM, Robinson LR: Prognostic indicators from electrodiagnostic studies for ulnar neuropathy at the elbow, 596
 Friese MA, see Leypoldt F
 Fuglevand AJ, see Johns RK
 Fuster G, see Ametller E

G

Gal A, see Kruse B
 Galassi G: Comment on intragastric botulinum neurotoxin a injection: From safety to warnings, 452
 Galliani E, see Renault R
 Gallot T, see Hug F
 Galvez-Jimenez N, see Govindarajan R
 Gandevia SC, see Giesebrecht S
 Garabedian EN, see Renault R
 Garbelli S, see Chiò A
 García Méndez CV, Fornari C, Silva VB, Sanz PG, Díez RA, Cueto AL, Giannula RJ: Distinct cytokine patterns associated with different forms of chronic dysimmune neuropathy, 921
 Garnham AP, see Trenerry MK
 Gatti A, see Gironi M
 Gentry BA, Ferreira JA, Phillips CL, Brown M: Hindlimb skeletal muscle function in myostatin-deficient mice, 49
 Germain SA, see Mathur S
 Gess B, Jeibmann A, Schirmacher A, Kleffner I, Schilling M, Young P: REPORT of a novel mutation in the PMP22 gene causing an axonal neuropathy, 605
 Giaccari A, see Padua L
 Giannula RJ, see García Méndez CV
 Gibbons CH, Illigens BMW, Wang N, Freeman R: Reply, 921
 Giesebrecht S, Martin PG, Gandevia SC, Taylor JL: Altered corticospinal transmission to the hand after maximum voluntary efforts, 679

Gilchrist JM, see Mellion M
 Gilhus NE, see Alseth EH
 Gliberto F, Ferreira V, Massot F, Ferrer M, Francipane L, Sziján I: Prenatal diagnosis of Duchenne/Becker muscular dystrophy by short tandem repeat segregation analysis in Argentine families, 510
 Gill D, see McMillan HJ
 Gilliam LAA, Moylan JS, Callahan LA, Sumandea MP, Reid MB: Doxorubicin causes diaphragm weakness in murine models of cancer chemotherapy, 94
 Gironi M, Saresella M, Marventano I, Guerini FR, Gatti A, Antonimi G, Ceresa L, Morino S, Beghi E, Angelici A, Mariani E, Nemni R, Clerici M: Reply, 922
 Glocker FX, Kress W, Meng G, Kottlors M: Reply, 615
 Goldstein JL, see Bali DS
 Gore EM, see Alt CA
 Govindarajan R, Galvez-Jimenez N: Awaji island modified criteria for ALS—Increased sensitivity without change in specificity: Are they really two sides of the same coin?, 768
 Granata G, see Padua L
 Grandas F, see Pilo B
 Grange RW, see Markert CD
 Graves G, see Maselli RA
 Greenman RL, see Wu JS
 Grignon Y, see Kaminsky P
 Grishin SN, see Mukhamedyarov MA
 Groh MR, see Groh WJ
 Groh WJ, Groh MR, Shen C, Monckton DG, Bodkin CL, Pascuzzi RM: Survival and CTG repeat expansion in adults with myotonic dystrophy type 1, 648
 Grouse CK, see Burns TM
 Gruis KL, Wren PA, Huggins JE: Amyotrophic lateral sclerosis patients' self-reported satisfaction with assistive technology, 643
 Gualandi F, see Chiò A
 Guan YT, see Chen SD
 Guerini FR, see Gironi M
 Guérout N, see Paviot A
 Guérout N, Duclos C, Drouot L, Abramovici O, Bon-Mardion N, Lacoume Y, Jean L, Boyer O, Marie JP: Transplantation of olfactory ensheathing cells promotes axonal regeneration and functional recovery of peripheral nerve lesion in rats, 543
 Gunasekera SM, Wijesekara RL, Sesath HGR: Proximal axonal changes after peripheral nerve injury in man, 425
 Gussoni E, see Wu MP
 Guyon JR, see Alexander MS

H

Hakim CH, see Shin JH
 Hansen D, see Snijders T
 Han SJ, see Kim J
 Hao Y, see Chen SD
 Harada-Sukeno A, see Kohno S
 Haran M: Muscle strength and fatigue in patients with generalized myasthenia gravis, 145
 Hardy N, see Petit F
 Harle HD, see Farrugia ME

Harridge SDR, see Duffell LD
 Harris JB, see Hart AJ
 Hart AJ, Hodgson WC, Scott-Davey T, Harris JB: Neuromuscular toxicology of the venom of Collett's snake (*Pseudochis colletti*): A histopathological study, 552
 Hasenbring M, see Schwenkreis P
 Hasselgren PO, see Smith IJ
 Hatanaka Y, see Sonoo M
 Head SI, see Chan S
 Henderson JD, see Maselli RA
 Hennessey K, see Efthimiou P
 Hermens HJ, see Kallenberg LAC
 Higashibata A, see Kohno S
 Higashihara M, see Sonoo M
 Hill F, see Walsh R
 Hilton DA, see Sleight K
 Hirasaka K, see Kohno S
 Hobbenaghi R, see Mohammadi R
 Hodgson WC, see Hart AJ
 Hoffman MA, see Kipp K
 Hokkoku K, see Sonoo M
 Holder-Espinasse M, see Petit F
 Hortobágyi T, see Uematsu A
 Houweling PJ, see Chan S
 Howell MH, see Alexander MS
 Huang P, Cheng G, Lu H, Aronica M, Ransohoff RM, Zhou L: Impaired respiratory function in mdx and mdx/utrn^{+/+} mice, 263
 Hug F, Gallot T, Catheline S, Nordez A: Electromechanical delay in biceps brachii assessed by ultrafast ultrasonography, 441
 Huggins JE, see Gruis KL
 Hulgan T, see Boger MS
 Hunter DA, see Ray WZ

I

Ikeda A, see Maki T
 Ikeda T, Takahashi K, Kabata T, Sakagoshi D, Tomita K, Yamada M: Reply, 147
 Illigens BMW, see Gibbons CH
 Imai T, Tsuda E, Toyoshima T, Yoshikawa H, Motomura M, Shimohama S: Anti-ryanodine receptor-positive acetylcholine receptor-negative myasthenia gravis: Evidence of impaired excitation-contraction coupling, 294
 Imbeau D, see Santos BR
 Inaba A, see Akaza M
 Inomata Y, see Obayashi K
 Iodice R, see Pisciotta C
 Irioka T, see Akaza M
 Isak B, see Koytak PK
 Ito M, see Miyazaki Y
 Iverson DJ, see Bril V

J

Jamart C, Raymackers JM, An GL, Deldicque L, Francaux M: Prevention of muscle disuse atrophy by MG132 proteasome inhibitor, 708
 Jaspers RT, see van der Meer SFT
 Jean L, see Guérout N
 Jeibmann A, see Gess B

Jiang JM, see Chen SD
 Jiao GY, see Sassoon CSH
 Jimenez-Escrig A, see Pilo B
 Johnson AM, Connor NP: Effects of electrical stimulation on neuromuscular junction morphology in the aging rat tongue, 203
 Johnson P, see Ray WZ
 Johnson ST, see Kipp K
 Johns RK, Fuglevand AJ: Number of motor units in human abductor hallucis, 895
 Jonas J, see Kaminsky P
 Jones DA, see van der Meer SFT
 Jones HR, see McMillan HJ
 Jono H, see Obayashi K

K

Kabata T, see Ikeda T
 Kaczor JJ, see De Lisio M
 Kale SS, see Ray WZ
 Kallenberg LAC, Hermens HJ: Motor unit properties of biceps brachii during dynamic contractions in chronic stroke patients, 112
 Kaminski HJ, see Mandawat A
 Kaminski HJ, Cutter G, Ruff R: Practice parameters and focusing research: Plasma exchange for myasthenia gravis, 625
 Kaminsky P, Acquaviva-Bourdain C, Jonas J, Pruna L, Chaloub G, Rigal O, Grignon Y, Vianey-Saban C: Subacute myopathy in a mature patient due to multiple acyl-coenzyme A dehydrogenase deficiency, 444
 Kanouchi T, see Akaza M
 Karandreas N, Kararizou E, Papagianni A, Zambelis T, Kokotis P: Turns-amplitude analysis in normal and myopathic facial muscles, 342
 Kararizou E, see Karandreas N
 Karni A, see Auriel E
 Kasukurthi R, see Ray WZ
 Katsuno M, see Miyazaki Y
 Katz AJ: The real challenge of the translational process: Management of expectations, 155
 Katzberg HD, Barros DF, Widrow B, Cho CS, So YT: Analysis of Continuous Diaphragm Electromyographic Signal: Results from a Patient with Amyotrophic Lateral Sclerosis, 801
 Kaufmann P, see Chen C; Montes J
 Kawahara G, see Alexander MS
 Kawakami Y, see Miyamoto N
 Keller BU, see Schomburg ED
 Kho AT, see Alexander MS
 Kiernan MC, see Park SB
 Kilgore KL, see Ackermann Jr. DM
 Kim J, Han SJ, Shin DH, Lee W, Choi JY: Subthreshold continuous electrical stimulation facilitates functional recovery of facial nerve after crush injury in rabbit, 251
 Kim JA, see Roy RR
 Kim KH, Kim YS, Yang J: The muscle-hypertrophic effect of clenbuterol is additive to the hypertrophic effect of myostatin suppression, 700
 Kim YS, see Kim KH
 Kipp K, Johnson ST, Doeringer JR, Hoffman MA: Spinal reflex excitability and homosynaptic depression after a bout of whole-body vibration, 259
 Kishnani PS, see Bali DS
 Kleffner I, see Gess B
 Klein CJ, see Reda HM
 Kley RA, see Schwenkreis P
 Kobayashi H, see Uematsu A
 Kohara N, see Maki T
 Kohno S, Ueji T, Abe T, Nakao R, Hirasaka K, Oarada M, Harada-Sukeno A, Ohno A, Higashibata A, Mukai R, Terao J, Okumura Y, Nikawa T: Rantes secreted from macrophages disturbs skeletal muscle regeneration after cardiotoxin injection in Cbl-b-deficient mice, 223
 Koike H, see Miyazaki Y
 Kokotis P, see Karandreas N
 Kollwe K, see Körner S
 Kondo T, see Maki T
 Körner S, Kollwe K, Fahlbusch M, Zapf A, Dengler R, Krampfl K, Petri S: Onset and spreading patterns of upper and lower motor neuron symptoms in amyotrophic lateral sclerosis, 636
 Korzeniewska K, see Ametller E
 Kottlors M, see Glocker FX
 Koytak PK, Isak B, Borucu D, Uluc K, Tanridag T, Us O: Assessment of symptomatic diabetic patients with normal nerve conduction studies: Utility of cutaneous silent periods and autonomic tests, 317
 Krampfl K, see Körner S
 Kress W, see Glocker FX
 Krishnan AV, see Park SB
 Krishnan C, Allen EJ, Williams GN: Effect of knee position on quadriceps muscle force steadiness and activation strategies, 563
 Kruse B, Gal A: Talipes equinovarus as leading symptom of congenital myotonic dystrophy type 2, 768
 Kukar M, see Efthimiou P
 Kula RW, see Maccabee PJ
 Kunkel LM, see Alexander MS
 Kurokawa K, see Sonoo M
 Kurono H, see Sonoo M
 Kusunoki S, see Miyazaki Y
 Kyriakides T, Papacostas S, Papanicolaou E, Bagdades E, Papathanasiou ES: Sleep hypoventilation syndrome and respiratory failure due to multifocal motor neuropathy with conduction block, 610

L

La Bella V, see Chiò A
 Lach B, see Tarnopolsky MA
 Lachey J, see Carlson CG
 Lacoume Y, see Guérout N
 Lacour A, see Simon O
 Ladd AN, see Moyer M
 Lafyatis R, see Mathes AL
 Lange DJ, Nijjar R, Voustantiok A, Seidel G, Panchal J, Wang AK: Do A-waves help predict intravenous

immunoglobulin response in multifocal motor neuropathy without block?, 537
 Larivière C, see Santos BR
 Larsen AE, see Trenerry MK
 Lauria G, see León L
 Leary SM, see Saifee TA
 Lee W, see Kim J
 Leiter JRS, Peeler J, Anderson JE: Exercise-Induced Muscle Growth is Muscle-Specific and Age-Dependent, 828
 León L, Casanova-Molla J, Lauria G, Valis-Solé J: The somatosensory blink reflex in upper and lower brainstem lesions, 196
 Leushina AV, see Mukhamedyarov MA
 Lewis CR, see Park SB
 Leyboldt F, Frieze MA, Böhm J, Bäumer T: Multiple enlarged nerves on neurosonography: An unusual paraneoplastic case, 756
 Li D, see Zhu J
 Lidov HG, see McMillan HJ
 Liguori R, see Donadio V
 Lim A, see Ng EST
 Lin CSY, see Park SB
 Lin J, see Luo SS
 Liotta G, see Padua L
 Liotta GA, Di Pasquale A, Lucchetta M, Alberti MA, Padua L: Ultrasound view of a traumatic two-level median nerve lesion, 767
 Lipitz ME, see Maccabee PJ
 Li ZX, see Chen SD
 López-Soriano FJ, see Ametller E
 Lucchetta M, see Liotta GA
 Lu H, see Huang P
 Lu JH, see Luo SS
 Lunn MP, see Saifee TA
 Luo SS, Xi JY, Lu JH, Zhao CB, Zhu WH, Lin J, Wang Y, Ren HM, Yin B, Andoni UJ: Clinical and pathological features in 15 Chinese patients with calpainopathy, 402

M

Maccabee PJ, Eberle LP, Stein IAG, Willer JA, Lipitz ME, Kula RW, Marx T, Muntean EV, Amassian VE: Upper leg conduction time distinguishes demyelinating neuropathies, 518
 Mackinnon SE, see Ray WZ
 Maioli MA, see Carboni N
 Maki T, Matsumoto R, Kohara N, Kondo T, Son I, Mezaki T, Nishino I, Ikeda A, Takahashi R: Rippling is not always electrically silent in rippling muscle disease, 601
 Mancardi G, see Chiò A
 Mandawat A, see Mandawat A
 Mandawat A, Mandawat A, Kaminski HJ, Shaker ZA, Alawi AA, Alshekhlee A: Outcome of plasmapheresis in myasthenia gravis: Delayed therapy is not favorable, 578
 Manganelli F, see Pisciotto C
 Maniaol AH, see Alseth EC
 Manouvrier-Hanu S, see Petit F
 Manta P, see Okubo M; Papadopoulos C
 Mantovani S, see Chiò A
 Mariani E, see Gironi M

Marie JP, see Guérout N; Paviot A
 Marini S, see Carboni N
 Marjanovic I, see Padua L
 Markert CD, Ambrosio F, Call JA,
 Grange RW: Exercise and Duchenne
 muscular dystrophy: Toward evidence-
 based exercise prescription, 464
 Marlin S, see Renault R
 Marques MJ, see Tiemi Taniguti AP
 Marrosu G, see Carboni N
 Marrosu MG, see Carboni N
 Martin PG, see Giesebrecht S
 Marventano I, see Gironi M
 Marx T, see Maccabee PJ
 Maselli RA, Henderson JD, Ng J,
 Follette D, Graves G, Wilson BW:
 Protection of human muscle
 acetylcholinesterase from soman by
 pyridostigmine bromide, 591
 Massot F, see Giliberto F
 Matteddu A, see Carboni N
 Mathes AL, Lafyatis R: Role for toll-like
 receptor 3 in muscle regeneration
 after cardiotoxin injury, 733
 Mathur S, Vohra RS, Germain SA,
 Forbes S, Bryant ND, Vandenberg K:
 Changes in Muscle T2 and Tissue
 Damage After Downhill Running In
mdx Mice, 878
 Matsumoto R, see Maki T
 Matsumura CY, see Tiemi Taniguti AP
 Matur Z, see Deymeer F
 McCabe DJH, see Walsh R
 McCullough MB, Domire ZJ, Reed AM,
 Amin S, Ytterberg SR, Chen Q, An
 KN: Evaluation of muscles affected by
 myositis using magnetic resonance
 elastography, 585
 McFadden D, see Santos BR
 McGrew FA, see Chai Y
 McMillan HJ, Srinivasan J, Darras BT,
 Ryan MM, Davis J, Lidov HG, Gill D,
 Jones HR: Pediatric sciatic neuropathy
 associated with neoplasms, 183
 Melazzini M, see Chiò A
 Melberg A, see Sundblom J
 Mellion M, Gilchrist JM, De La Monte S:
 Alcohol-related peripheral
 neuropathy: Nutritional, toxic, or
 both?, 309
 Meng G, see Glocker FX
 Mercelis R, Merckaert V: Diagnostic
 utility of stimulated single-fiber
 electromyography of the orbicularis
 oculi muscle in patients with
 suspected ocular myasthenia, 168
 Merckaert V, see Mercelis R
 Mezaki T, see Maki T
 Miao H, see Sohn MW
 Miller L, see Ackermann Jr. DM
 Mitsumoto H, see Chen C
 Miyamoto N, Yanai T, Kawakami Y:
 Twitch potentiation induced by
 stimulated and voluntary isometric
 contractions at various torque levels
 in human knee extensor muscles, 360
 Miyazaki Y, Koike H, Ito M, Atsuta N,
 Watanabe H, Katsuno M, Kusunoki S,
 Sobue G: Acute superficial sensory
 neuropathy with generalized
 anhidrosis, anosmia, and ageusia, 286
 Mizusawa H, see Akaza M
 Moerman A, see Petit F
 Moggio M, see Piccolo G
 Moglia C, see Chiò A

Mohammadi R, Azizi S, Delirez N,
 Hobbenaghi R, Amini K: Comparison
 of beneficial effects of
 undifferentiated cultured bone
 marrow stromal cells and omental
 adipose-derived nucleated cell
 fractions on sciatic nerve
 regeneration, 157
 Mohanakumar T, see Ray WZ
 Monckton DG, see Groh WJ
 Montagnini ML, see Alt CA
 Montanaro F, see Alexander MS
 Montes China N, see Schmidt K
 Montes J, Dunaway S, Montgomery MJ,
 Sproule D, Kaufmann P, De Vivo DC,
 Rao AK: Fatigue leads to gait changes
 in spinal muscular atrophy, 485
 Montgomery MJ, see Montes J
 Montini M, see Bazzucchi I
 Monti RJ, see Roy RR
 Mora G, see Chiò A
 Morhart M, see Amirjani N
 Morino S, see Gironi M
 Motomura M, see Imai T
 Moya MA, see Pilo B
 Moyer M, Berger DS, Ladd AN, Van
 Lunteren E: Differential susceptibility
 of muscles to myotonia and force
 impairment in a mouse model of
 myotonic dystrophy, 818
 Moylan JS, see Gilliam LAA
 Mrachacz-Kersting N, see Stubbs PW
 Mukai R, see Kohno S
 Mukhamedyarov MA, Teplov AY,
 Grishin SN, Leushina AV, Zefirov AL,
 Palotás A: Extraneuronal toxicity of
 Alzheimer's disease β -amyloid
 peptide: Comparative Study on
 Vertebrate Skeletal Muscles, 872
 Muntean EV, see Maccabee PJ
 Mura M, see Carboni N
 Muscogiuri G, see Padua L
 Mutani R, see Chiò A
 Myers JA, see Alexander MS

N

Nakao R, see Kohno S
 Nakkestad HL, see Alseth EH
 Nandedkar SD, see Sandberg A
 Navarro C, see Pilo B
 Navarro X, see Udina E
 Nemni R, see Gironi M
 Newhm DJ, see Duffell LD
 Ng AV, see Alt CA
 Ng EST, Wilder-Smith E, Lim A: High-
 resolution ultrasonography in the
 detection of postoperative recurrence
 of ulnar neuropathy, 451
 Ng J, see Maselli RA
 Ngo LH, see Wu JS
 Nicolas G, see Rajabally YA
 Nielsen JF, see Stubbs PW
 Nienhuis M, see Van Alfen N
 Nijboer-Oosterveld J, Van Alfen N, Pillen
 S: New normal values for quantitative
 muscle ultrasound: Obesity increases
 muscle echo intensity, 142
 Nijjar R, see Lange DJ
 Nikawa T, see Kohno S
 Nishino I, see Maki T
 Nordez A, see Hug F
 North KN, see Chan S

Numasawa Y, see Akaza M
 Nygren I, Fagius J: High resting level
 and weak response of baroreflex-
 governed sympathetic outflow in
 amyotrophic lateral sclerosis, 432

O

Oarada M, see Kohno S
 Obayashi K, Yamashita T, Tasaki M,
 Ueda M, Shono M, Jono H, Ohshima
 T, Ohya Y, Asonuma K, Inomata Y,
 Ando Y: Amyloid neuropathy in a
 younger domino liver transplanted
 recipient, 449
 Oby ER, see Ackermann Jr. DM
 Oflazer-Serdaroglu P, see Deymeer F
 Ohno A, see Kohno S
 Ohshima T, see Obayashi K
 Ohya Y, see Obayashi K
 Okubo M, Spengos K, Manta P, Fateen
 E: Phenotypical variability in glycogen
 storage disease type III with a
 recurrent AGL mutation c.750-
 753delAGAC, 451
 Okumura Y, see Kohno S
 Oliveira CC, see Ametller E
 Olson JL, see Amirjani N
 Osio M, Mailland E, Muscia F,
 Nascimbene C, Vanotti A, Bana C, Corsi
 F, Foschi D, Mariani C: Reply, 453

P

Pacelli F, see Smith IJ
 Padovani A, see Rizzetti MC
 Padua L, see Liotta GA
 Padua L, Marjanovic I, Di Pasquale A,
 Liotta G, Tonali PA: Ultrasonography
 in patients with ulnar neuropathy at
 the elbow: Comparison of cross-
 sectional area and swelling ratio with
 electrophysiological severity, 298
 Padua L, Stålberg E, Caliandro P,
 Muscogiuri G, Pazzaglia C, Sorice GP,
 Granata G, Salomone E, Pontecorvi A,
 Giaccari A: Single-fiber conduction
 velocity test allows earlier detection of
 abnormalities in diabetes, 652
 Pain MTG, see Tillin NA
 Palotás A, see Mukhamedyarov MA
 Pal S, Sanyal D: Muscle Weakness: A
 Differential Indicator of
 Neuromuscular Weakness—
 Preliminary Observations, 807
 Panchal J, see Lange DJ
 Papacostas S, see Kyriakides T
 Papadimas GK, see Papadopoulos C
 Papadopoulos C, Papadimas GK,
 Spengos K, Manta P: Bent spine
 syndrome in facioscapulohumeral
 muscular dystrophy, 615
 Papagianni A, see Karandreas N
 Papanicolaou E, see Kyriakides T
 Papathanasiou ES, see Kyriakides T
 Parise G, see De Lisio M
 Parizotto NA: Is electrical stimulation a
 consolidated treatment for
 denervated muscles and functional
 recovery after nerve injuries?, 299
 Park SB, Lin CSY, Krishnan AV,
 Friedlander ML, Lewis CR, Kiernan
 MC: Early, progressive, and sustained

- dysfunction of sensory axons underlies paclitaxel-induced neuropathy, 367
- Parman Y, see Deymeer F
- Pascuzzi RM, see Groh WJ
- Paviot A, Bon-Mardion N, Duclos C, Marie JP, Guérout N: Although olfactory ensheathing cells have remarkable potential to sustain nerve regeneration, they cannot be applied to a severe vagus nerve section/resection model, 919
- Pazzaglia C, see Padua L
- Pearce E, see Tarnopolsky MA
- Peeler J, see Leiter JRS
- Peltier AC, see Boger MS
- Perkins B, see Bril V
- Pertille A, see Tiemi Taniguti AP
- Petit F, Cuisset JM, Rouaix-Emery N, Cancès C, Sablonnière B, Bieth E, Moerman A, Sukno S, Hardy N, Holder-Espinasse M, Manouvrier-Hanu S, Vallée L: Insights into genotype-phenotype correlations in spinal muscular atrophy: A retrospective study of 103 patients, 26
- Petrini M, see Chiò A
- Petri S, see Körner S
- Pezzin LE, see Sohn MW
- Phan N, see De Lisio M
- Phillips CL, see Gentry BA
- Phillips LH II: Between the covers: This month's main articles, iv, v
- Phillips LH II: Book review, 301
- Phillips LH II: Reviewer acknowledgments, 3
- Phillips LH II: Some changes in the journal, 1
- Piccolo G, Cortese A, Tavazzi E, Piccolo L, Sassone J, Ciammola A, Alfonsi E, Colombo I, Moggio M: Late onset oculopharyngeal muscular dystrophy with prominent neurogenic features and short GCG trinucleotide expansion, 141
- Piccolo L, see Piccolo G
- Pillen S, see Nijboer-Oosterveld J; Van Alfen N
- Pilo B, de Blas G, Sobrido MJ, Navarro C, Grandas F, Barrero FJ, Moya MA, Jimenez-Escrig A: Neurophysiological study in cerebrotendinous xanthomatosis, 531
- Piras R, see Carboni N
- Pisciotta C, Manganelli F, Dubbioso R, Ruggiero L, Iodice R, Santoro L: Thermosensitive hereditary neuropathy with liability to pressure palsy, 448
- Plamondon A, see Santos BR
- Pokharna H, see Efthimiou P
- Pontecorvi A, see Padua L
- Porcu M, see Carboni N
- Pouget J, see Fluchère F
- Poyraz M, see Deymeer F
- Pruna L, see Kaminsky P
- Puigdemasa A, see Udina E
- Pusack TJ, see Alexander MS
- mutation: Clinical features of the index families, 19
- Rajabally YA, see Samarasekera S
- Rajabally YA, Nicolas G: Value of distal compound muscle action potential duration prolongation in acute inflammatory demyelinating polyneuropathy: A European perspective, 751
- Ramar K, see Sassoon CSH
- Ransohoff RM, see Huang P
- Rao AK, see Montes J
- Raymackers JM, see Jamart C
- Ray WZ, Kasukurthi R, Kale SS, Santosa KB, Hunter DA, Johnson P, Yan Y, Mohanakumar T, Mackinnon SE, Tung TH: Costimulation blockade inhibits the indirect pathway of allorecognition in nerve allograft rejection, 120
- Reda HM, Taylor SW, Klein CJ, Boes CJ: A case of sensory ataxia as the presenting manifestation of neurosarcoïdosis, 900
- Reed AM, see McCullough MB
- Regev K, see Aurie E
- Reid MB, see Gilliam LAA
- Reilly MM, see Saifee TA
- Renault R, Baudon JJ, Galliani E, Flores-Guevara R, Marlin S, Garabedian EN, Vazquez MP: Facial, lingual, and pharyngeal electromyography in infants with Pierre Robin sequence, 866
- Ren HM, see Luo SS
- Rice CL, see Smith CB
- Richardson RJ, see Rainier S
- Rigal O, see Kaminsky P
- Rizzetti MC, Catalani S, Apostoli P, Padovani A: Cobalt toxicity after total hip replacement: A neglected adverse effect?, 146
- Robinson LR, see Friedrich JM; Takahashi N
- Rodi Z, Springer C: Influence of muscle contraction and intensity of stimulation on the cutaneous silent period, 324
- Rosa F, see Smith IJ
- Rouaix-Emery N, see Petit F
- Rowlerson AM, see Duffell LD
- Roy RR, Zhong H, Monti RJ, Kim JA, Edgerton VR: Selectively reshaping a muscle phenotype: Functional overload of cat plantaris, 489
- Rubin DI, Dimberg EL: Erratum, 623
- Ruff R, see Kaminski HJ
- Ruggiero S, see Briani C
- Rugg-Gunn F, see Saifee TA
- Ruggiero L, see Pisciotta C
- Russell JW, see Bril V
- Rutella S, see Chiò A
- Ryan MM, see McMillan HJ
- S**
- Sabatelli M, see Chiò A
- Sablonnière B, see Petit F
- Sacchetti M, see Bazzucchi I
- Saifee TA, Reilly MM, Ako E, Rugg-Gunn F, Brandner S, Lunn MP, Leary SM: Sarcoidosis presenting as acute inflammatory demyelinating polyradiculoneuropathy, 296
- Sakagoshi D, see Ikeda T
- Salmons S: Is stimulation of denervated muscle contraindicated when there is potential for reinnervation?, 300
- Salomone E, see Padua L
- Samarasekera S, Rajabally YA: Demyelinating neuropathy with anti-CRMP5 antibodies predating diagnosis of breast carcinoma: Favorable outcome after cancer therapy, 764
- Sandberg A, Nandedkar SD, Stålberg E: Macro electromyography and motor unit number index in the tibialis anterior muscle: Differences and similarities in characterizing motor unit properties in prior polio, 335
- Sanders DB, see Burns TM
- Santo Neto H, see Tiemi Taniguti AP
- Santoro L, see Pisciotta C
- Santosa KB, see Ray WZ
- Santos BR, Larivière C, Delisle A, McFadden D, Plamondon A, Imbeau D: Sudden loading perturbation to determine the reflex response of different back muscles: A reliability study, 348
- Sanyal D, see Pal S
- Sanz PG, see García Méndez CV
- Saresella M, see Gironi M
- Sassone J, see Piccolo G
- Sassoon CSH, Zhu E, Fang L, Ramar K, Jiao GY, Calozzo VJ: Interactive effects of corticosteroid and mechanical ventilation on diaphragm muscle function, 103
- Scarlato M, see Briani C
- Schilling M, see Gess B
- Schirmacher A, see Gess B
- Schmidt K, Montes Chinea N, Sorenson EJ, Strommen JA, Boon AJ: Accuracy of diagnoses delivered by an automated hand-held nerve conduction device in comparison to standard electrophysiological testing in patients with unilateral leg symptoms, 9
- Schomburg ED, Steffens H, Zschüntzsch J, Dibaj P, Keller BU: Fatigability of spinal reflex transmission in a mouse model (SOD1G93A) of amyotrophic lateral sclerosis, 230
- Schwenkreis P, Voigt M, Hasenbring M, Tegenthoff M, Vorgerd M, Kley RA: Central mechanisms during fatiguing muscle exercise in muscular dystrophy and fibromyalgia syndrome: A study with transcranial magnetic stimulation, 479
- Scimè R, see Chiò A
- Scott-Davey T, see Hart AJ
- Seehra JS, see Carlson CG
- Seidel G, see Lange DJ
- Sekiguchi H, see Uematsu A
- Serratrice J, see Fluchère F
- Sesath HGR, see Gunasekera SM
- Sesti J, see Carlson CG
- Seto JT, see Chan S
- Shaker ZA, see Mandawat A
- Shao J, see Zhu J
- Shen C, see Groh WJ
- Shields RK, see Adams CM
- Shimizu T, see Sonoo M
- Shimohama S, see Imai T
- Shin DH, see Kim J
- Shin JH, Hakim CH, Zhang K, Duan D: Genotyping mdx, mdx3cv, and mdx4cv mice by primer competition polymerase chain reaction, 283

Shono M, see Obayashi K
 Siciliano G, see Chiò A
 Silani V, see Chiò A
 Silva VB, see García Méndez CV
 Simon O, Lacour A, Delval A, Beaune A, Vermersch P: Recurrent multiple cranial nerve palsy and anti-GD1a antibodies, 447
 Sinkjær T, see Stubbs PW; Van Doornik J
 Skeie GO, see Alseth EH
 Sleight K, Ball S, Hilton DA: Quantification of changes in muscle from individuals with and without mitochondrial disease, 795
 Smith CB, Cheng AJ, Rice CL: Potentiation of the triceps brachii during voluntary submaximal contractions, 859
 Smith IJ, Aversa Z, Hasselgren PO, Pacelli F, Rosa F, Battista Doglietto G, Bossola M: CALPAIN activity is increased in skeletal muscle from gastric cancer patients with no or minimal weight loss, 410
 Smith K, see Tarnopolsky MA
 Smithline H, see Wu JS
 Snijders T, Verdijk LB, Hansen D, Dendale P, van Loon LJC: Continuous endurance-type exercise training does not modulate satellite cell content in obese type 2 diabetes patients, 393
 Sobrido MJ, see Pilo B
 Sobue G, see Miyazaki Y
 Sohn MW, Whittle J, Pezzin LE, Miao H, Dillingham TR: Electrodiagnostic consultation and identification of neuromuscular conditions in persons with diabetes, 812
 Solla E, see Carboni N
 Son I, see Maki T
 Sonoo M, Kurokawa K, Higashihara M, Kurono H, Hokkoku K, Hatanaka Y, Shimizu T: Origin of far-field potentials in the ulnar compound muscle action potential, 671
 Sorenson EJ, see Schmidt K
 Sorice GP, see Padua L
 So YT, see Katzberg HD
 Spengos K, see Okubo M; Papadopoulos C
 Spinner RJ, see Figueroa JJ
 Springer C, see Rodi Z
 Sproule D, see Montes J
 Srinivasan J, see McMillan HJ
 Stålberg E, see Padua L; Sandberg A
 Stefanski C, see Carlson CG
 Steffens H, see Schomburg ED
 Stein IAG, see Maccabee PJ
 STEMALS Study Group, see Chiò A
 Stock MS, see Beck TW
 Straver DCG, van den Berg LH, van den Berg-Vos RM, Franssen H: Activity-dependent conduction block in multifocal motor neuropathy, 31
 Strober JB, see Fiore DM
 Strommen JA, see Schmidt K
 Stubbs PW, Nielsen JF, Sinkjær T, Mrachacz-Kersting N: Crossed spinal soleus muscle communication demonstrated by H-reflex conditioning, 845
 Sukno S, see Petit F
 Sumanda MP, see Gilliam LAA
 Sundblom J, Melberg A: Reply, 144
 Suneja M, see Adams CM

Suzuki S, see Uematsu A
 Symonette CJ, Doherty TJ: Response, 145
 Szijan I, see Giliberto F

T

Taioli F, see Briani C
 Takahashi K, see Ikeda T
 Takahashi N, Robinson LR: Can we accurately measure the onset latency to the first dorsal interosseus?, 129
 Takahashi N, Robinson LR: Reply, 770
 Takahashi R, see Maki T
 Tallaksen C, see Alseth EH
 Tandan R, see Benatar M
 Tanridag T, see Koytak PK
 Tarella C, see Chiò A
 Tarnopolsky MA, see De Lisio M
 Tarnopolsky MA, Pearce E, Smith K, Lach B: Suction-modified Bergström muscle biopsy technique: Experience with 13,500 procedures, 716
 Tasaki M, see Obayashi K
 Tavazzi E, see Piccolo G
 Taylor JL, see Giesebrecht S
 Taylor SW, see Reda HM
 Tegenthoff M, see Schwenkreis P
 Teplov AY, see Mukhamedyarov MA
 Terao J, see Kohno S
 Tiemi Taniguti AP, Pertille A, Matsumura CY, Santo Neto H, Marques MJ: Prevention of muscle fibrosis and myonecrosis in mdx mice by suramin, a TGF- β 1 blocker, 82
 Tillin NA, Pain MITG, Folland JP: Short-term unilateral resistance training affects the agonist-antagonist but not the force-agonist activation relationship, 375
 Toledo M, see Ametller E
 Tolun AA, see Bali DS
 Tomita K, see Ikeda T
 Tonali PA, see Padua L
 Toyoshima T, see Imai T
 Trenerry MK, Della Gatta PA, Larsen AE, Garnham AP, Cameron-Smith D: Impact of resistance exercise training on interleukin-6 and JAK/STAT in young men, 385
 Tsuda E, see Imai T
 Tuncer S, Dalkic N, Esen HH, Avunduk MC: An early diagnostic tool for diabetic neuropathy: Conduction velocity distribution, 237
 Tung TH, see Ray WZ
 Tyler T, see Ackermann Jr. DM

U

Ucran J, see Carlson CG
 Udina E, Puigdemasa A, Navarro X: Passive and active exercise improve regeneration and muscle reinnervation after peripheral nerve injury in the rat, 500
 Ueda M, see Obayashi K
 Uejii T, see Kohno S
 Uematsu A, Sekiguchi H, Kobayashi H, Hortobágyi T, Suzuki S: Contraction history produces task-specific variations in spinal excitability in healthy human soleus muscle, 851
 Uluc K, see Koytak PK
 Ushiba J, see Van Doornik J
 Us O, see Koytak PK

V

Valis-Solé J, see León L
 Vallée L, see Petit F
 Van Alfen N, see Nijboer-Oosterveld J
 Van Alfen N, Nienhuis M, Zwarts MJ, Pillen S: Detection of fibrillations using muscle ultrasound: Diagnostic accuracy and identification of pitfalls, 178
 van den Berg LH, see Straver DCG
 van den Berg-Vos RM, see Straver DCG
 Vandenborne K, see Mathur S
 van der Meer SFT, Jaspers RT, Jones DA, Degens H: Time-course of changes in the myonuclear domain during denervation in young-adult and old rat gastrocnemius muscle, 212
 Van Doornik J, Coste CA, Ushiba J, Sinkjær T: Positive afferent feedback to the human soleus muscle during quiet standing, 726
 van Loon LJC, see Snijders T
 Van Lunten E, see Moyer M
 Vazquez MP, see Renault R
 Verdijk LB, see Snijders T
 Verhagen WJ, see Beekman R
 Vermersch P, see Simon O
 Verschueren A, see Fluchere F
 Vianey-Saban C, see Kaminsky P
 Visser LH, see Beekman R
 Vohra RS, see Mathur S
 Voigt M, see Schwenkreis P
 Vorgerd M, see Schwenkreis P
 Voustianiouk A, see Lange DJ

W

Walker FO, Cartwright MS: Neuromuscular Ultrasound: Emerging from the Twilight, 777
 Walsh R, Hill F, Breslin N, Connolly S, Brett FM, Charlton R, Barresi R, McCabe DJH: Progressive dysphagia in limb-girdle muscular dystrophy type 2B, 761
 Wang AK, see Lange DJ
 Wang FC: Can we accurately measure the onset latency to the first dorsal interosseus?, 769
 Wang N, see Gibbons CH
 Wang Y, see Luo SS
 Watanabe H, see Miyazaki Y
 Weiller PJ, see Fluchere F
 Weimer L, see Chen C
 Whittle J, see Sohn MW
 Widrow B, see Katzberg HD
 Wijesekara RL, see Gunasekera SM
 Wilcock S, see Rainier S
 Wilder-Smith E, see Ng EST
 Willer JA, see Maccabee PJ
 Williams GN, see Krishnan C
 Wilson BW, see Maselli RA
 Wiwanitit V: Bedside diagnosis of rippling muscle disease, 144
 Wolfe GI, see Burns TM
 Wren PA, see Gruis KL
 Wu JS, Buettner C, Smithline H, Ngo LH, Greenman RL: Evaluation of skeletal muscle during calf exercise by 31 -phosphorus magnetic resonance spectroscopy in patients on statin medications, 76

Wu MP, Gussoni E: Carbamylated erythropoietin does not alleviate signs of dystrophy in mdx mice, 88

X

Xi JY, see Luo SS

Y

Yamada M, see Ikeda T
Yamashita T, see Obayashi K

Yanai T, see Miyamoto N
Yang J, see Kim KH
Yang N, see Chan S
Yan Y, see Ray WZ
Yin B, see Luo SS
Yokota T, see Akaza M
Yoshikawa H, see Imai T
Young P, see Gess B
Ytterberg SR, see McCullough MB

Z

Zambelis T, see Karandreas N
Zapf A, see Körner S

Zefirov AL, see Mukhamedyarov MA
Zhang K, see Shin JH
Zhao CB, see Luo SS
Zhong H, see Roy RR
Zhou L, see Huang P
Zhou XJ, see Chen SD
Zhu E, see Sassoon CSH
Zhu J, Li D, Shao J, Hu B: An ultrasound study of anatomic variants of the sural nerve, 560
Zhu WH, see Luo SS
Zochodne DW, see Bril V
Zon LI, see Alexander MS
Zschüntzsch J, see Schomburg ED
Zwarts MJ, see Van Alfen N